

Docket No. 115243.00005

Serial No. 10/781,079

This listing of claims will replace all prior versions, and listings, of claims in the application:

**Listing of Claims:**

1. (Currently Amended) A method for a reliability assessment, failure prediction and operating condition determination of electrical equipment comprising:  
providing a profile of wear products and breakdown products contained within the electrical equipment; and  
assessing reliability, and predicting failure and operating condition of the electrical equipment based on evaluation of the profile of wear products and breakdown products.
2. (Original) The method according to claim 1, wherein the step of providing a profile includes providing information pertaining to the presence of techtites.
3. (Original) The method according to claim 1, wherein the step of providing a profile includes providing information pertaining to the presence of filming, fibers, coking, techtites, ferrous and non-ferrous particles, oxides, and tempered metallic particles.
4. (Original) The method according to claim 1, wherein the step of providing a profile includes providing information pertaining to the presence of non-particulate components, including the presence of non-volatile insulating liquid degradation products.
5. (Original) The method according to claim 4, wherein the step of providing a profile includes providing information pertaining to the presence of hydrocarbons.
6. (Currently Amended) ~~The method according to claim 4,~~ A method for a reliability assessment, failure prediction and operating condition determination of electrical equipment comprising:  
providing a profile of wear products and breakdown products; and  
assessing reliability, and predicting failure and operating condition of the electrical equipment based on evaluation of the profile of wear products and breakdown products.

Docket No. 115243.00005

Serial No. 10/781,079

wherein the step of providing a profile includes providing information pertaining to the presence of non-particulate components, including the presence of non-volatile insulating liquid degradation products, and providing information pertaining to the presence of hydrocarbons, water, nitrates, alkanes, hydroxyls, oxides, sulfates, coking and viscosity.

7. (Currently Amended) ~~The method according to claim 4~~ A method for a reliability assessment, failure prediction and operating condition determination of electrical equipment comprising:

providing a profile of wear products and breakdown products; and  
assessing reliability, and predicting failure and operating condition of the electrical equipment based on evaluation of the profile of wear products and breakdown products,

wherein the step of providing a profile includes providing information pertaining to the particle count, particle count distribution, particle count concentration, particle count composition, particle count shape, coking, oxidation, nitration, sulfate, alkanes, moisture, particle type composition, particle size and particle shape, and non-particulate components, including the presence of non-volatile insulating liquid degradation products.

8. (Original) The method according to claim 1, wherein the step of assessing reliability, and predicting failure and operating condition includes comparing the profile to a standardized profile.

9. (Original) The method according to claim 1, wherein the electrical equipment is selected from the group consisting of transformers, load tap changes, tap changers, circuit breakers, off-load tap changes, on-load tap changers, switches, x-ray machines and electrical discharge machines.

10. (Original) The method according to claim 1, wherein the electrical equipment is an electric power transfer device.

11. (Currently Amended) ~~[[An]]~~ A power transmission electrical equipment operating condition determination method comprising:

Docket No. 115243.00005

Serial No. 10/781,079

providing a profile of wear products and breakdown products within the power transmission electrical equipment; and

assessing reliability, and predicting failure and operating condition of the power transmission electrical equipment based on evaluation of the profile of wear products and breakdown products.

12. (Original) The method according to claim 11, wherein the step of providing a profile includes providing information pertaining to the presence of techtites.

13. (Original) The method according to claim 11, wherein the step of providing a profile includes providing information pertaining to the presence of filming, fibers, coking, techtites, ferrous and non-ferrous particles, oxides, and tempered metallic particles.

14. (Original) The method according to claim 11, wherein the step of providing a profile includes providing information pertaining to the presence of non-particulate components, including the presence of non-volatile insulating liquid degradation products.

15. (Original) The method according to claim 14, wherein the step of providing a profile includes providing information pertaining to the presence of hydrocarbons.

16. (Currently Amended) ~~The method according to claim 14~~ An electrical equipment operating condition determination method comprising:

providing a profile of wear products and breakdown products; and  
assessing reliability, and predicting failure and operating condition of the electrical equipment based on evaluation of the profile of wear products and breakdown products,  
wherein the step of providing a profile includes providing information pertaining to the presence of non-particulate components, including the presence of non-volatile insulating liquid degradation products, and providing information pertaining to the presence of hydrocarbons, water, nitrates, alkanes, hydroxyls, oxides, sulfates, coking and viscosity.

Docket No. 115243.00005

Serial No. 10/781,079

17. (Currently Amended) ~~The method according to claim 14~~ An electrical equipment operating condition determination method comprising:

providing a profile of wear products and breakdown products; and  
assessing reliability, and predicting failure and operating condition of the electrical equipment based on evaluation of the profile of wear products and breakdown products,

wherein the step of providing a profile includes providing information pertaining to the particle count, particle count distribution, particle count concentration, particle count composition, particle count shape, coking, oxidation, nitration, sulfate, alkanes, moisture, particle type composition, particle size and particle shape, and providing information pertaining to the presence of non-particulate components, including the presence of non-volatile insulating liquid degradation products.

18. (Original) The method according to claim 11, wherein the step of assessing reliability, and predicting failure and operating condition includes comparing the profile to a standardized profile.

19. (Original) The method according to claim 11, further comprising:  
obtaining a sample of insulating liquid from the electrical equipment;  
analyzing the insulating liquid for the presence of wear products and breakdown products to determine the profile of wear products and breakdown products.

**This Page is Inserted by IFW Indexing and Scanning  
Operations and is not part of the Official Record**

**BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** \_\_\_\_\_

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.**